



Further investigations on fincrawling in flatfishes (Teleostei: Pleuronectiformes): phylogenetic implications

Peter Wirtz, John Davenport, Bruno Chanet

► To cite this version:

Peter Wirtz, John Davenport, Bruno Chanet. Further investigations on fincrawling in flatfishes (Teleostei: Pleuronectiformes): phylogenetic implications. Cahiers de Biologie Marine, 2023, 64, pp.219-227. 10.21411/CBM.A.3CA87B1E . hal-04402521

HAL Id: hal-04402521

<https://hal.science/hal-04402521>

Submitted on 19 Jan 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Further investigations on fincrawling in flatfishes (Teleostei: Pleuronectiformes): phylogenetic implications

Peter Wirtz¹, John Davenport² & Bruno Chanet^{3*}

⁽¹⁾ Centro de Ciencias do Mar (CCMAR), Universidade do Algarve, 8005-139 Faro, Portugal

⁽²⁾ School of Biological, Earth and Environmental Sciences and Environmental Research Institute
University College Cork, Cork, Ireland

⁽³⁾ Équipe Homologies, Institut de Systématique, Évolution, Biodiversité (ISYEB), Sorbonne Université, MNHN, CNRS, EPHE, CP 30, 57 Rue Cuvier, 75005 Paris, France

*Corresponding author: bruno.chanet@mnhn.fr

Abstract: Fincrawling is a unique, recognizable behaviour pattern exhibited by many flatfishes (order Pleuronectiformes), whereby the fish uses the fin rays of the dorsal and anal fins to walk over the substratum. The distribution of this behaviour among flatfishes indicates it appeared early in the phylogeny of the Pleuronectiformes. Fincrawling is a common character of the Pleuronectoidei, and a possible synapomorphy of the suborder.

Résumé : *Recherches complémentaires sur l'aptitude à ramper avec les nageoires chez les poissons plats (Teleostei : Pleuronectiformes) : implications phylogénétiques.* Ramper grâce aux nageoires est un comportement unique présent chez de nombreux poissons plats (ordre des Pleuronectiformes), au cours duquel l'animal utilise les rayons de ses nageoires dorsales et anales pour se déplacer sur le substrat. La présence de ce comportement au sein des poissons indique qu'il est apparu tôt dans l'évolution des Pleuronectiformes. Ramper grâce aux nageoires est un caractère commun aux Pleuronectoidei et une possible synapomorphie du sous-ordre.

Keywords: Fincrawling • Dorsal fin • Anal fin • Flatfish • Pleuronectiformes

Introduction

Fincrawling is a recognizable behaviour pattern of some flatfishes (order Pleuronectiformes), whereby the fish, instead of swimming, uses the fin rays of the dorsal and anal fins to walk over the bottom (see the numerous videos listed in table 1, e.g. www.youtube.com/watch?v=2Psc0X7W_UQ). Wirtz & Davenport (2018) described this unique behaviour pattern in detail. Fincrawling flatfish show near-sinusoidal waves

of dorsal and/or anal fin movements; the caudal fin is motionless. 'Contact patches' (i.e. sites where several fin rays simultaneously exert force against the substratum) move backwards along the body as the wave of fin ray movements travels forwards and new fin ray tips enter the patches. This process is reversed when the fish crawls backwards (i.e. the waves of fin movements are directed caudally, while the positions of contact patches move cranially). Fincrawling flatfish can even turn by dorsal and anal fin waves moving in opposite directions. Fox et al. (2018) independently described the fincrawling mechanism for six species of Pleuronectidae, referring to the contact patches as 'feet'. Wirtz & Davenport (2018) showed that this type of

locomotion apparently evolved early in the phylogeny of the Pleuronectiformes, either once or several times. Their review lacked observations for several families (Psettodidae, Citharidae, Rhombosoleidae, Achiropsettidae, Poecilopsettidae). Here we present the results of additional observations and advance a hypothesis concerning the origin of this behaviour pattern.

Materials and Methods

Flatfish locomotion was filmed by SCUBA-supported video near Caniço, Madeira Island (32°38'N-16°49'W) and Tarrafal, the Cape Verde Islands (15°16'N-23°45'W) with Canon Powershot digital cameras. We also searched internet sources (mainly YouTube and FishBase) for films of flatfish locomotion. Finally, we contacted SCUBA divers and the keepers of several public aquaria around the world and asked them to film flatfish locomotion for us. These additional films were deposited in ResearchGate to

make all data publicly accessible. Motion Analysis Tools-DX9-Shareware Version 2.7.3 (Ottawa Hospital Rehabilitation Centre, Ottawa, ON, Canada) and the free analytical tool Kinovea (<https://www.kinovea.org/>) were used to analyse the films. Still images of flatfish in books or on internet sites were used as evidence only when unambiguously showing fincrawling behaviour.

Identified cases of fincrawling were mapped onto the most recent phylogeny of the Pleuronectiformes (Atta et al., 2021). Recent morphological and molecular studies, including evidence from fossils, have provided new insights into the phylogeny of the order Pleuronectiformes (Campbell et al., 2019 & 2020; Chanet et al., 2020; Atta et al., 2021). The tree proposed by Atta et al. (2021) has been chosen here as the most recent one. The positions of several groups are different amongst these works, meaning that flatfishes' classification is not yet stable. But the discrepancies between these trees (viz: status of Citharidae and positions of the Achiridae and Samaridae) do not affect the distribution of the fincrawling among these groups.




Figure 1. Tree showing the interrelationships of flatfishes and reconstruction of ancestral states of fincrawling. Black star (*) indicates observed presence of fincrawling while black circle (•) indicates ancestral state of fin crawling.

Table 1: Fincrawling flatfishes. List of species, with sources, where fincrawling has been observed.

Family/species	type of evidence	Reference
Psettodidae	no data	
Citharidae		
<i>Citharus linguatola</i> (Linnaeus, 1758)	film	Munaretto (2015a)
<i>Citharus linguatola</i> (Linnaeus, 1758)	film	Munaretto (2015b)
Scophthalmidae		
<i>Lepidorhombus whiffiagonis</i> (Walbaum, 1792)	photo	Kay & Dipper (2009: 152)
<i>Scophthalmus rhombus</i> (Linnaeus, 1758)	film	Underwater Ireland (2012)
<i>Scophthalmus maximus</i> (Linnaeus, 1758)	verbal description	Holmes & Gibson (1983)
<i>Zeugopterus regius</i> (Bonnaterre, 1788)	verbal description	Holmes & Gibson (1983)
<i>Zeugopterus regius</i> (Bonnaterre, 1788)	film	Mescachlin (2014)
<i>Zeugopterus regius</i> (Bonnaterre, 1788)	film	Naylor (2016)
<i>Zeugopterus punctatus</i> (Bloch, 1787)	verbal description	Holmes & Gibson (1983)
<i>Zeugopterus punctatus</i> (Bloch, 1787)	film	Tyburski (2017)
<i>Zeugopterus punctatus</i> (Bloch, 1787)	film	Naylor (2017)
Paralichthyidae		
<i>Ancylosetta cycloidea</i> Tyler, 1959	film	VideotecaFaunaPR (2012)
<i>Paralichthys adspersus</i> (Steindachner, 1867)	film	Book Publisher International (2020)
<i>Paralichthys californicus</i> (Ayres, 1859)	film	Marti & Wirtz (2021c)
<i>Paralichthys dentatus</i> (Linnaeus, 1766)	verbal description and drawing	Olla et al. (1972)
<i>Paralichthys lethostigma</i> Jordan & Gilbert, 1884	film	gcrIweb (2013)
<i>Paralichthys olivaceus</i> (Temminck & Schlegel, 1846)	film	Tsujita (2015)
Pleuronectidae		
<i>Eopsetta grigorjewi</i> (Herzenstein, 1890)	film	Tsujita (2015b)
<i>Isopsetta isolepis</i> (Lockington, 1880)	verbal description	Fox et al 2018
<i>Lepidopsetta bilineata</i> (Ayres, 1855)	verbal description	Fox et al 2018
<i>Lyopsetta exilis</i> (Jordan & Gilbert, 1880)	verbal description	Fox et al 2018
<i>Parophrys vetulus</i> Girard, 1854	verbal description	Fox et al 2018
<i>Platichthys flesus</i> (Linnaeus, 1758)	film	Bidone1967 (2010)
<i>Platichthys stellatus</i> (Pallas, 1787)	verbal description	Orcutt (1950), Fox et al (2018)
<i>Pleuronectes platessa</i> Linnaeus, 1758	verbal description	Holmes & Gibson (1983)
<i>Pleuronectes platessa</i> Linnaeus, 1758	film	Naylor (2019)
<i>Pleuronichthys</i> sp.	film	Webster (2013)
<i>Pleuronichthys coenosus</i> Girard, 1854	film	Marti & Wirtz (2021b)
<i>Psettichthys melanostictus</i> Girard, 1854	verbal description	Fox et al (2018)
<i>Pseudopleuronectes americanus</i> (Walbaum, 1792)	verbal description	Olla et al (1969)
Cyclopsettidae		
<i>Citharichthys stigmaeus</i> Jordan & Gilbert, 1882	film	Vantuna Research Group (2013)
<i>Citharichthys stigmaeus</i> Jordan & Gilbert, 1882	film	Marti & Wirtz (2021d)
<i>Cyclopsetta fimbriata</i> (Goode & Bean, 1885)	film	Wilk (2007)
<i>Syacium guineensis</i> (Bleeker, 1862)	film	Wirtz (2017)
<i>Syacium micrurum</i> Ranzani, 1840	film	Wilk (2007)
<i>Syacium papillosum</i> (Linnaeus, 1758)	film	Wilk (2007)

Table 1. Following.

Family/species	type of evidence	Reference
Bothidae		
<i>Arnoglossus bassensis</i> Norman, 1926	film	Finn & Norman (2016)
<i>Arnoglossus laterna</i> (Walbaum, 1792)	photo	Kay & Dipper (2009: 144)
<i>Asterorhombus intermedius</i> (Bleeker, 1865)	film	DiveIndia Andamans (2019)
<i>Bothus lunatus</i> (Linnaeus, 1758)	photo and verbal description	Ivan Sazima (pers. comm to PW)
<i>Bothus mancus</i> (Broussonet, 1782)	film	Undersea Productions (2016a)
<i>Bothus mancus</i> (Broussonet, 1782)	film	Van Geen (2015)
<i>Bothus ocellatus</i> (Agassiz, 1831)	film	Undersea Productions (2016b)
<i>Bothus pantherinus</i> (Rüppell, 1830)	film	Undersea Productions (2016c)
<i>Bothus podas</i> (Delaroche, 1809)	film	Wirtz (2017a)
Achiropsettidae		
no data		
Rhombosoleidae		
<i>Pelotretis flavilatus</i> Waite, 1911	film	Miller (2021)
<i>Peltorhamphus novaezeelandiae</i> Günther 1862	film by Karl War	Warr & Wirtz (2021a)
<i>Rhombosolea retiaria</i> Hutton, 1874	verbal description	Karl Warr (pers.comm to PW)
<i>Rhombosolea leporina</i> Günther, 1862	verbal description	Karl Warr (pers.comm to PW)
Oncopteridae		
no data		
Paralichthodidae		
no data		
Achiridae		
<i>Achirus achirus</i> (Linnaeus, 1758)	film	MrCitzen (2011)
<i>Achirus novoae</i> Cervigón, 1982	film	Hertzman (2019)
<i>Achirus</i> sp.	film	Dimoski (2017)
<i>Catathyridium jenynsii</i> (Günther, 1862)	film	Simso (2015)
<i>Hypoclinemus mentalis</i> (Günther, 1862)	film	Muh-Kuh (2016)
<i>Trinectes maculatus</i> (Bloch & Schneider, 1801)	film	Odum (2018)
<i>Trinectes paulistanus</i> (Miranda Ribeiro, 1915)	verbal description	Ivan Sazima (pers comm to PW)
Cynoglossidae		
<i>Cynoglossus feldmanni</i> (Bleeker, 1854)	film	Schäfer (2016)
<i>Cynoglossus sinusarabici</i> (Chabanaud, 1931)	photo	Dafni (2016)
<i>Paraplagusia japonica</i> (Temminck and Schlegel, 1846)	film	Japan Underwater Films (2016)
<i>Paraplagusia japonica</i> (Temminck and Schlegel, 1846)	film	https://www.youtube.com/channel/UCdfyG8oi-yECVsVY_TTOEQ
<i>Symphurus awarak</i> Robins & Randall, 1965	film	Wilk (2007)
<i>Symphurus insularis</i> Munroe, Brito & Hernández, 2000	film	Wirtz & Dellinger (2017)
<i>Symphurus ommaspilus</i> Böhlke, 1961	film	Wilk (2007)
Soleidae		
<i>Aesopia cornuta</i> Kaup, 1853	film	Baumeister (2016)
<i>Aseraggodes albidus</i> Randall & Desoutter-Meniger, 2007	photo	Randall (2016b)
<i>Aseraggodes kaianus</i> (Günther, 1880)	verbal description	Kuiter & Tono-zuka (2004: 397)
<i>Aseraggodes lenisquamis</i> Randall, 2005	film	Harasti (2020)
<i>Aseraggodes</i> sp.	film	Japan Underwater Films (2016)
<i>Brachirus harmandi</i> (Sauvage 1878)	film	Roestad (2009)

Table 1 End.

Family/species	type of evidence	Reference
<i>Brachirus panoides</i> (Bleeker, 1851)	ilm	Paddock Farm (2012)
<i>Brachirus panoides</i> (Bleeker, 1851)	film	Nhi (2015)
<i>Brachirus siamensis</i> (Sauvage 1878)	film	wwwrochenat (2011)
<i>Buglossidium luteum</i> (Risso, 1810)	film	fishbaseyt (2009)
<i>Liachirus melanospilos</i> (Bleeker, 1854)	film	Marti & Wirtz (2021a)
<i>Microchirus ocellatus</i> Linnaeus, 1758	film	Wirtz (2017)
<i>Microchirus variegatus</i> (Donovan, 1808)	photo	Golani et al. (2006: 231)
<i>Monochirus hispidus</i> Rafinesque, 1814	photo	Louisy (2015: 412)
<i>Monochirus hispidus</i> Rafinesque, 1814	film	Gil & Wirtz (2021a)
<i>Pardachirus marmoratus</i> (Lacépède, 1802)	film	Roman S. (2012)
<i>Pardachirus marmoratus</i> (Lacépède, 1802)	film	Kasmani (2018)
<i>Pardachirus pavoninus</i> (Lacépède, 1802)	film	Undersea Productions (2016d)
<i>Pegusa lascaris</i> (Risso, 1810)	film	Gil & Wirtz (2021b)
<i>Phyllichthys punctatus</i> McCulloch, 1916	photo	Kuiter & Tonozyuka (2004: 399)
<i>Pseudaesopia japonica</i> (Bleeker, 1860)	film	Japan Underwater Films (2016)
<i>Solea solea</i> (Linnaeus, 1758)	verbal description	Kruuk (1963: 13)
<i>Solea solea</i> (Linnaeus, 1758)	verbal description	Holmes & Gibson (1983)
<i>Solea solea</i> (Linnaeus, 1758)	photo	Irving (1998: 160)
<i>Solea solea</i> (Linnaeus, 1758)	film	WKNaturkart (2013)
<i>Soleichthys dori</i> Randall & Munroe, 2008	film	Popov (2017)
<i>Soleichthys heterohinos</i> (Bleeker, 1856)	film	shutterstock.com (2016)
<i>Soleichthys</i> «sp. 1»	film	DeLoach (2012)
<i>Soleichthys</i> «sp. 2»	photo	Kuiter & Tonozyuka (2004: 397)
<i>Soleichthys</i> «sp. 3»	film	Harding (2017)
<i>Soleichthys microcephalus</i> (Günther, 1862)	photo	Kuiter & Kuiter (2018: 333)
<i>Synaptura</i> sp.	film	O'Neill & Gibb (2001)
<i>Zebrias scalaris</i> Gomon, 1987	photo	Scubazoo/ Science Photo Library (2016)
<i>Zebrias zebrinus</i> (Temminck & Schlegel, 1846)	film	Kuiter & Kuiter (2018: 333)
Poecilopsettidae	no data	
Samaridae		
<i>Samaris cristatus</i> Gray, 1831	photo	Kuiter & Tonozyuka (2004: 400)
<i>Samaris cristatus</i> Gray, 1831	film	Sea Story (2016)
<i>Samaris cristatus</i> Gray, 1831	film	liquidguru (2011)
<i>Samariscus triocellatus</i> Woods, 1960	photo	Randall, 2016a
<i>Samariscus triocellatus</i> Woods, 1960	film	Giwdul (2019)

Having accumulated more than 100 records of fincrawling in flatfish species, we can now attempt to reconstruct the origin of this behaviour pattern, by plotting its distribution onto the phylogenetic tree of the order. Probable ancestral states of fincrawling were then reconstructed using the rule of parsimony, i.e. minimizing the number of evolutionary transitions.

Results

We have gathered 104 records of fincrawling behaviour for 85 flatfish species from 48 different genera belonging to eleven recognized flatfish families. These are listed in table 1. In ten of the eleven families, at least two species from two different genera are documented

to show fincrawling behaviour. Fincrawling behaviour has been observed in Citharidae, Scopthalmidae, Paralichthyidae, Pleuronectidae, Cyclopsettidae, Bothidae, Rhombosoleidae, Samaridae, Achiridae, Cynoglossidae and Soleidae. Fincrawling behaviour is shown by both dextral and sinistral flatfish species (e.g. Soleidae and Scopthalmidae respectively). Observations of this behaviour pattern are lacking for species belonging to the following families Achirosettididae, Oncopteridae, Paralichthodidae, Poecilopsettidae and fincrawling could not be observed in films showing members of the family Psettodidae swimming.

The current phylogenetic tree of the Pleuronectiformes (Atta et al., 2021) recognizes 16 different families (Fig. 1). Fincrawling has been recorded in the families Achiridae, Samaridae, Cynoglossidae and Soleidae; it is therefore parsimonious to assume that it also occurred in the common ancestor of these families, including the family Poecilopsettidae. Similarly (compare Fig. 1), it can be argued that the common ancestor of all families from Scopthalmidae to Pleuronectidae was most likely already fincrawling. Thus, the origin of the behaviour pattern fincrawling can be traced back to the base of all flatfish families from Citharidae to Pleuronectidae, i.e. the most recent common ancestor of the suborder Pleuronectoidei.

By mapping the presence of a *recessus orbitalis* (an organ that allows flatfishes to protrude their eyes above the substratum whilst buried; Campbell et al., 2020) onto the flatfish tree, Chanet et al. (2020) have shown that this character is restricted to and a probable synapomorphy of the suborder Pleuronectoidei. Thus, the distribution patterns of the morphological character '*recessus orbitalis*' and the behavioural character 'fincrawling' are congruent.

Discussion

In 1941, Konrad Lorenz showed that behaviour patterns, just like morphological structures, can be used to construct phylogenetic trees. Conversely, by plotting the presence of a behaviour pattern onto an existing phylogeny, the time of its probable origin can be elucidated (e.g. Johnson, 2000; Kitaura et al., 2006; Horka et al., 2018). Our phylogenetic analysis indicates that fincrawling behaviour appeared early in the phylogeny of the Pleuronectiformes. It is a common character of the Pleuronectoidei. If Psettodidae also use fincrawling, this behavior pattern would be a putative synapomorphy of the order Pleuronectiformes. If it could be shown that Psettodidae do not use fincrawling, this behavior pattern would be a synapomorphy of

the suborder Pleuronectoidei. There are films on the internet showing the locomotion of flatfishes belonging to the family Psettodidae (e.g. Mama Dive Amed, 2018; RemsProd, 2021; see Electronic references). Fincrawling behaviour cannot be seen in them. Nevertheless, adult Psettodidae are heavy animals and are unlikely to use fincrawling for locomotion. It could be interesting to look for observations of young or juvenile psettodids to detect eventual fincrawling.

Fincrawling is probably an energetically inexpensive type of locomotion, not only because of its slowness, but also because the body of the fish is essentially held rigid (promoting low drag) and very close to the substratum. It also provides greater manoeuvrability than swimming, allowing backwards movement and tight turns.

Fincrawling behaviour is obviously linked to the characteristics of the median fin musculature and its innervation. A detailed analysis of the neuromuscular anatomy of flatfish median-fin rays, in particular a comparison of the Pleuronectoidei with the Psettoidei, is not yet available but would be desirable. Cunningham (1890: PI XIL) illustrated, but not in detail, the muscular anatomy of the median-fin rays in *Solea solea* (Linnaeus, 1758) (Soleidae). Hoshino (2001a & b) described median-fin ray characters in citharid species, but this study was limited to the caudal region. Some juvenile flatfishes resemble toxic flatworms in colour pattern (Kuiter, 1991; Randall, 2005). When they are fincrawling, this resemblance is much enhanced. Thus, fincrawling behaviour could have been a "preadaptation" permitting mimicry of flatworms.

Acknowledgements

Fatima Gil, David Harasti, Walter Marti, Nicole Miller, and Karl Warr made films of fincrawling flatfishes for this study. Walter Marti sent not one but 12 videos. Ivan Sazima sent information on fincrawling flatfishes from Brazil. Thanks to Klaus Stiefel. The following kindly helped in the search for more films and/or with the identification of flatfish species shown in film clips: David Harasti, Rudie Kuiter, Libby Liggins, Milton Love, Tom Trnski, Karl Warr. Agnès Dettai (MNHN, Paris) and Claude Guintard, (ONIRIS, Nantes) helped with the French translation of the word "fincrawling". We would like to also thank the two reviewers who analysed accurately a first version of the ms.

Data accessibility: The films made particularly for this project were deposited in the ResearchGate page of the first author:

<https://www.researchgate.net/profile/Peter-Wirtz>.

References

- Atta C.J., Yuan H., Li C., Arcila D., Betancur-R R., Hughes L.C., Orti G. & Tornabene L. 2021. Exon-capture data and locus screening provide new insights into the phylogeny of flatfishes (Pleuronectoidei). *Molecular Phylogenetics and Evolution*, 166: 107315. Doi: [10.1016/j.ympev.2021.107315](https://doi.org/10.1016/j.ympev.2021.107315)
- Campbell M.A., Chanet B., Chen J.-N. Mao-Ying L. & Chen W.-J. 2019. Origins and relationships of the Pleuronectoidei: molecular and morphological analysis of living and fossil taxa. *Zoologica Scripta*, 48: 640-656. Doi: [10.1111/zsc.12372](https://doi.org/10.1111/zsc.12372)
- Campbell M.A., Tongbookua P., Chanet B. & Chen W.-J. 2020. The distribution of the *recessus orbitalis* across flatfishes (order: Pleuronectiformes). *Journal of Fish Biology*, 97: 293-297. Doi: [10.1111/jfb.14356](https://doi.org/10.1111/jfb.14356)
- Chanet B., Mondéjar-Fernández J. & Lecointre G. 2020. Flatfishes interrelationships revisited based on anatomical characters. *Cybium*, 44: 9-18. Doi: [10.26028/cybium/2020-441-002](https://doi.org/10.26028/cybium/2020-441-002)
- Cunningham J.T. 1890. *A Treatise on the Common Sole (Solea vulgaris), considered both as an Organism and as a Commodity*. Marine Biological Association of the United Kingdom: Plymouth, UK, 147 pp.
- Fox C.H., Gibb A.C., Summers A.P. & Bemis W.B. 2018. Benthic walking, bounding, and manoeuvring in flatfishes (Pleuronectiformes: Pleuronectidae): New vertebrate gaits. *Zoology*, 130: 19-29. Doi: [10.1016/j.zool.2018.07.002](https://doi.org/10.1016/j.zool.2018.07.002)
- Golani D., Öztürk B. & Basusta N. 2006. *Fishes of the Eastern Mediterranean*. Turkish Marine Research Foundation, Publication no. 24. Istanbul, Turkey, 259 pp.
- Holmes R.A. & Gibson R.N. 1983. A comparison of predatory behaviour in flatfish. *Animal Behaviour*, 31: 1244-1255. Doi: [10.1016/S0003-3472\(83\)80031-1](https://doi.org/10.1016/S0003-3472(83)80031-1) not in the text
- Horka I., De Grave S., Fransen C.H.J.M., Petrusek A. & Đuriš Z. 2018. Multiple origins and strong phenotypic convergence in fish-cleaning palaemonid shrimp lineages. *Molecular Phylogenetics and Evolution*, 124: 71-81. Doi: [10.1016/j.ympev.2018.02.006](https://doi.org/10.1016/j.ympev.2018.02.006)
- Hoshino K. 2001a. Homologies of the caudal fin rays of Pleuronectiformes (Teleostei). *Ichthyological Research*, 48: 231-246. Doi: [10.1007/s10228-001-8141-6](https://doi.org/10.1007/s10228-001-8141-6)
- Hoshino K. 2001b. Monophyly of the Citharidae (Pleuronectoidei: Pleuronectiformes: Teleostei) with considerations of pleuronectoid phylogeny. *Ichthyological Research*, 48: 391-404. Doi: [10.1007/s10228-001-8163-0](https://doi.org/10.1007/s10228-001-8163-0)
- Irving R. 1998. *Sussex Marine Life: Identification Guide for Divers*. Sussex Seasearch: UK, 178 pp.
- Johnson K.P. 2000. The evolution of courtship display repertoire size in the dabbling ducks (Anatini). *Journal of Evolutionary Biology*, 13: 634-644. Doi: [10.1046/j.1420-9101.2000.00200.x](https://doi.org/10.1046/j.1420-9101.2000.00200.x)
- Kay P. & Dipper F. 2009. *A Field Guide to the Marine Fishes of Wales and Adjacent waters*. Countryside Council for Wales: Llanfairfechan, UK, 256 pp.
- Kitaura J., Nishida M. & Wada K. 2006. The evolution of social behaviour in sentinel crabs (*Macrophthalmus*): implications from molecular phylogeny. *Biological Journal of the Linnean Society*, 88: 45-59. Doi: [10.1111/j.1095-8312.2006.00609.x](https://doi.org/10.1111/j.1095-8312.2006.00609.x)
- Kruuk H. 1963. Diurnal periodicity in the activity of the common sole, *Solea vulgaris* Quensel. *Netherlands Journal of Sea Research*, 2: 1-16. Doi: [10.1016/0077-7579\(63\)90002-4](https://doi.org/10.1016/0077-7579(63)90002-4)
- Kuiter R.H. & Kuiter T. 2021. *Fish Watchers Guide to Coastal Sea-Fishes of South-eastern Australia*, 2nd edition. Aquatic Photographics: Melbourne, 372 pp.
- Kuiter R.H. & Tonoizuka T. 2004. *Pictorial Guide to Indonesian Reef Fishes*. PT Dive & Dive's: Bali, Indonesia, 400 pp.
- Lorenz K. 1941. Vergleichende Bewegungsstudien an Anatiden. *Journal of Ornithology*, 89: 194-294.
- Louisy P. 2015. *European and Mediterranean Marine Fish Identification Guide*. Ulmer: Germany, 512 pp. Olla B.L., Wicklund R. & Wilk S. 1969. Behavior of winter flounder in a natural habitat. *Transactions of the American Fisheries Society*, 98: 717-720. Doi: [10.1577/1548-8659\(1969\)98\[717:BOWFIA\]2.0.CO;2](https://doi.org/10.1577/1548-8659(1969)98[717:BOWFIA]2.0.CO;2)
- Olla B.L., Samet C.E. & Studholme A.L. 1972. Activity and feeding behavior of the summer flounder (*Paralichthys dentatus*) under controlled laboratory conditions. *Fishery Bulletin*, 70: 1127-1136.
- Orcutt H.G. 1950. *The life history of the starry flounder, Platicthys stellatus (Pallas)*. State of California Department of Natural Resources Division of Fish and Game Fish Bulletin. 78: 1-64.
- RemsProd 2021. <https://www.pond5.com/de/stock-footage/item/34801272-indischen-heilbutt-psettodes-erumei-schwimmen>.
- Wirtz P. & Davenport J. 2018. Fin crawling in flatfishes (Teleostei: Pleuronectiformes). *Bulletin of Fish Biology*, 17: 29-38.

Electronic References

- Baumeister A. 2016. Unicorn-sole-aesopia-cornuta-night-dahab-red-sea. Available at: <http://www.robertharding.com/preview/903-147/> (last accessed 16 October 2021).
- Bidone 1967 2010. Flounder & Turbot Saltwater Aquarium / Flunder & Steinbutt im Zoo Leipzig. Available at: <http://www.youtube.com/watch?v=-VloBYsAhOs&t=21s> (last accessed 16 October 2021).
- Book Publisher Internationa 2020. Movement Patterns of Chilean Flounder (*Paralichthys adspersus*) inside Tongoy Bay. Available at: https://www.youtube.com/watch?v=9nnsdWu_zlY (last accessed 13 May 2021).
- Dafni J. 2016. *Cynoglossus sinusarabici*. Available at: <http://www.fishbase.org/photos/PicturesSummary.php?id=16281&picname=Cysin> (last accessed 16 October 2021)
- DeLoach A. 2012. Mimicry: The Sole and the Flatworm. Available at: <http://blennywatcher.com/2012/05/07/mimicry-the-sole-and-the-flatworm/> (last accessed 16 October 2021).
- Dimoski G. 2017. *Achirus* Sp. Rio Ucuyali + Wf *Microgeophagus Ramirezi*. Available at: https://www.youtube.com/watch?v=zeokcmmv_Q (last accessed 16 May 2021).
- DiveIndia Andamans 2019. The Angler Flounder, Flounder Fish (*Asterorombus intermedius*). Available at: <https://www.youtube.com/watch?v=FOLutbm-IW4> (last accessed 15 May 2021).
- Finn J.K. & Norman M.D. 2016. *Arnoglossus bassensis*. Available at: <https://www.youtube.com/watch?v=1j3F5p9tQcA> (last accessed 16 October 2021).
- fishbaseyt 2009. *Buglossidium luteum* (Solenette). Available at:

- <https://www.youtube.com/watch?v=1j3F5p9tQcA> (last accessed 16 October 2021).
- gcrweb 2013. Southern Flounder Eating a Bull Minnow. Available at: <https://youtu.be/KTQRONWuP08> (last accessed 13 May 2021).
- Giwdul B. 2019. Soles à trois taches, accouplement ? Available at: <https://www.youtube.com/watch?v=L2Ci9quvRNw> (last accessed 17 May 2021).
- Gil F. & Wirtz P. 2021a. Fincrawling behaviour of *Monochirus hispidus* Rafinesque, 1814 (Soleidae). Available at: https://www.researchgate.net/publication/350637633_Fincrawling_behaviour_of_Monochirus_hispidus_Rafinesque_1814_Soleidae (last accessed 18 May 2021).
- Gil F. & Wirtz P. 2021b. Fincrawling behaviour of *Pegusa lascaris* (Risso, 1810) (Soleidae). Available at: https://www.researchgate.net/publication/350637737_Fincrawling_behaviour_of_Pegusa_lascaris_Risso_1810_Soleidae (last accessed 18 May 2021).
- Harasti D. 2020. Walking Peppered Sole. Available at: www.youtube.com/watch?v=HmOptgMF-tM&feature=youtu.be (last accessed 17 May 2021).
- Harding R. 2017. Available at: <http://www.gettyimages.co.uk/detail/video/flatfish-crawling-through-algae-green-eyes-stock-video-footage/170137758> (last accessed 16 October 2021).
- Hertzman H. 2019. *Achirus novae* (south american freshwater sole) feeding. Available at: www.youtube.com/watch?v=ZSKzWQQRMOU (last accessed 16 May 2021).
- Japan Underwater Films 2013. Zebra sole. Available at: <https://www.youtube.com/watch?v=WCI2HWQeOcY> (last accessed 16 October 2021).
- Japan Underwater Films 2016. We are a sole! Available at: <https://www.youtube.com/watch?v=GNpq1fCyp7k&feature=youtu.be> (last accessed 16 October 2021).
- Kasmani S. 2018. Moses Sole Fish. Available at: <https://www.youtube.com/watch?v=QPM7SycGsfc> (last accessed 17 May 2021).
- Liquidguru 2011. Cockatoo Flounder. Available at: <https://vimeo.com/15297875> (last accessed 17 May 2021).
- Mama Dive Amed 2018. Fincrawling behaviour of *Psettodes erumei* (Bloch & Schneider 1801) Psettodidae. Available at: https://youtu.be/xYUX1bb_AWo (last accessed 19 February 2023).
- Marti W. & Wirtz P. 2021a. Fincrawling behaviour of *Liachirus melanospilos* (Bleeker, 1854) Soleidae. Available at: https://www.researchgate.net/publication/350630596_Fincrawling_behaviour_of_Liachirus_melanospilos_Bleeker_1854_Soleidae (last accessed 18 May 2021).
- Marti W. & Wirtz P. 2021b. Fincrawling behaviour of *Pleuronichthys coenosus* Girard, 1854 (Pleuronectidae). Available at: https://www.researchgate.net/publication/350648521_Fincrawling_behaviour_of_Pleuronichthys_coenosus_Girard_1854_Pleuronectidae (last accessed 18 May 2021).
- Marti W. & Wirtz P. 2021c. Fincrawling behaviour of *Paralichthys californicus* (Ayres, 1859) Paralichthyidae. Available at: https://www.researchgate.net/publication/350648626_Fincrawling_behaviour_of_Paralichthys_californicus_Ayres_1859_Paralichthyidae (last accessed 18 May 2021).
- Marti W. & Wirtz P. 2021d. Fincrawling behaviour of *Citarhichthys stigmaeus* (Jordan & Gilbert, 1882) Cyclopsettidae. Available at: https://www.researchgate.net/publication/350649364_Fincrawling_behaviour_of_Citarhichthys_stigmaeus_Jordan_Gilbert_1882_Cyclopsettidae (last accessed 18 May 2021).
- Jordan Gilbert 1882 *Cyclopsettidae* (last accessed 18 May 2021).
- Mescachli P. 2014. *Zeugopterus regius* (Rombo peloso). Available at: <https://www.youtube.com/watch?v=0MEWgGCxeF0> (last accessed 13 May 2021).
- Miller N. 2021. Crawling flatfish. Available at: <https://vimeo.com/565335553> (last accessed 21 June 2021).
- MrCitizen 2011. Aquarium: Puffer, Freshwater sole (*Achirus Achirus*), crystal red shrimp, Rasbora Galaxy. Available at: <https://www.youtube.com/watch?v=Il4-7PMOvqo> (last accessed 16 May 2021).
- Muh-Kuh 2016. *Hypoclinemus mentalis* - Peru-Süßwasserflunder. Available at: <https://www.youtube.com/watch?v=oPqwVhCvpx0> (last accessed 16 May 2021).
- Munaretto M. 2015a. Linguattola alle scogliere riminese. Available at: <https://www.youtube.com/watch?v=zhnNTN2apCA> (last accessed 10 October 2021).
- Munaretto, M. (2015b). Linguattola guardinga. Available at: <https://www.youtube.com/watch?v=A5vrWdjA7nU> (last accessed 10 October 2021).
- Naylor P. 2016. Topnot trio. Available at: <https://vimeo.com/paulnaylormarinephoto> (last accessed 13 May 2021).
- Naylor P. 2017. Two's company. Available at: <https://vimeo.com/211174241> (last accessed 13 May 2021).
- Naylor P. 2019. A great place to live. Available at: <https://vimeo.com/paulnaylormarinephoto> (last accessed 15 May 2021).
- Nhi K. 2015. Ken nhi: cá bơn nước ngọt *synaptura panoides*. Available at: https://www.youtube.com/watch?v=5e_8jdUSLqk (last accessed 17 May 2021).
- Odum H.T. 2018. Springs Field Guide – Hogchoker. Available at: <https://www.youtube.com/watch?v=Vh7lJED5N4o> (last accessed 16 May 2021).
- Paddock Farm 2012. Asian Sole Fish (Tonguefish) at Paddock Farm. Available at: <https://www.youtube.com/watch?v=16792t2Ujj4> (last accessed 17 May 2021).
- Popov A. 2017. *Soleichthys dori* - Dori's sole - Солеихт дори. Available at: <https://www.youtube.com/watch?v=Tqa1KJY-6MM> (last accessed 17 May 2021).
- Randall J.E. 2016a. *Samariscus triocellatus*. Available at: <http://www.fishbase.org/photos/thumbnailsummary.php?Genus=Aseraggodes&Species> (last accessed 16 October 2021).
- Randall J.E. 2016b. *Aseraggodes albidus*. Available at: <http://www.fishbase.org/photos/thumbnailsummary.php?Genus=Aseraggodes&Species=albidus> (last accessed 16 October 2021).
- Roestad L. 2009. *Brachirus harmandi* eating. Available at: <https://www.youtube.com/watch?v=STBcu2y2Jfw> (last accessed 17 May 2021).
- Roman S. 2012. Jazyk mramorovaný [*Pardachirus marmoratus*]. Available at: <http://www.youtube.com/watch?v=CqEWiVdklo4> (last accessed 16 October 2021).
- Schäfer C. 2016. *Cynoglossus feldmanni* feeding. www.youtube.com/watch?v=LNDx2fmOMVl (last accessed 16 October 2021).
- Scubazoo science photo library 2016. Spotted-tail Sole. Available at: <http://www.sciencephoto.com/media/425383/>

- [view](#) (last accessed 16 October 2021).
- Sea story 2016. Cockatoo Flounder. Available at: <https://www.youtube.com/watch?v=QH0Y-bohxpM> (last accessed 16 October 2021).
- Shutterstock.com 2016. Banded sole (*Soleichthys heterorhinos*) swimming underwater in Fiji Islands. Available at: <http://www.shutterstock.com/de/video/clip-2294810-stock-footage> (last accessed 16 October 2021).
- Simso 2015. *Catathyridium jenyensii*. Available at: <http://www.youtube.com/watch?v=v5sY895p8oE> (last accessed 16 October 2021).
- Tsujita S. 2015a. Bastard halibut, Olive flounder *Paralichthys olivaceus*. Available at: <https://www.youtube.com/watch?v=fgNwbRRpZeM> (last accessed 13 May 2021).
- Tsujita S. 2015b. Round-nose flounder, Shotted halibut *Eopsetta grigorjewi*. Available at: <https://www.youtube.com/watch?v=laJDFfIL-b0> (last accessed 15 May 2021).
- Tyburski M. 2017. UNDERWATER FOOTAGE Topknot/ Spider crab/ Sea potato/ Burrowing anemone/ Lion's mane jellyfish. Available at https://www.youtube.com/watch?v=_9paZhrVI9I (last accessed 13 May 2021).
- Undersea Productions 2016a. *Bothus mancus*. Available at: <http://www.fishbase.us/videos/SpeciesVideos.php?speccode=1321> (last accessed 16 October 2021).
- Undersea Productions 2016b. *Bothus ocellatus*. Available at: <http://www.fishbase.us/videos/SpeciesVideos.php?speccode=8271> (last accessed 16 October 2021).
- Undersea Productions 2016c. *Bothus pantherinus*. Available at: <http://www.fishbase.us/videos/SpeciesVideos.php?speccode=1321> (last accessed 16 October 2021).
- Undersea Productions 2016d. *Pardachirus pavoninus*. Available at: <http://www.fishbase.us/videos/SpeciesVideos.php?speccode=8271> (last accessed 16 October 2021).
- Underwater Ireland 2012. Giant turbot fish in full HD (underwater footage). Available at: <http://www.youtube.com/watch?v=7atLE3yQwEw> (last accessed 16 October 2021).
- Van Geen R. 2015. pāki'i (flowery flounder, *Bothus mancus*). Available at: <https://vimeo.com/124014682> (last accessed 15 May 2021).
- Vantuna Research Group 2013. Speckled Sanddabs and crab attacking worm. Available at: www.youtube.com/watch?v=dCLrCiKMO8w (last accessed 15 May 2021).
- videotecaFaunaPR 2012. Lenguado (*Ancylopsetta cycloidea*) - Flounder. Available at: <https://www.youtube.com/watch?v=H6v40vQsy2Y> (last accessed 13 May 2021).
- Warr K. & Wirtz P. 2021a. Fincrawling behaviour of *Peltorhamphus novaezeelandiae* Günther 1862 (Rhombosoleidae). Available at: https://www.researchgate.net/publication/350627560_Fincrawling_behaviour_of_Peltorhamphus_novaezeelandiae_Gunther_1862_Rhombosoleidae (last accessed 18 May 2021).
- (last accessed 18 May 2021).
- Webster P.A. 2013. *Pleuronichthys* sp. - Sole or Turbot / Breakwater – 7/9/13. Available at: <http://www.vimeo.com/70366527> (last accessed 16 October 2021).
- Wirtz P. 2017a. *Bothus podas* juvenile locomotion. Available at <https://www.youtube.com/watch?v=Ez6YjM6iDfM> (last accessed 16 October 2021).
- Wirtz P. 2017b. *Microchirus ocellatus* locomotion. Available at: <https://www.youtube.com/watch?v=ZonUhVeuiIA> (last accessed 16 October 2021).
- Wirtz P. 2017c. *Syacium guineensis* locomotion. Available at: <https://www.youtube.com/watch?v=rNNstlYP-OM> (last accessed 16 October 2021).
- Wirtz P. & Dellinger T. 2017a. *Symphurus insularis* locomotion. Available at: <https://www.youtube.com/watch?v=Wilbzx0aC1Q> (last accessed 10 October 2021).
- Wirtz P. & Dellinger T. 2017b. *Symphurus insularis* locomotion. Available at: https://www.youtube.com/watch?v=2Psc0X7W_UQ (last accessed 10 October 2021).
- WKNaturkart 2013. *Solea vulgaris* - Common sole - Tunge (norw.). Available at: <https://www.youtube.com/watch?v=TP5bEObM2cl> (last accessed 16 October 2021).
- wwwrochenat 2011. *Euryglossa Panoides*. Available at https://www.youtube.com/watch?v=ZPPxwx1S_t4 (last accessed 17 May 2021).